


(For publishing in Hindi News papers only)

	<p>उत्तर प्रदेश विद्युत नियंत्रण आयोग *मिडियम एग्रीजिडिटी टिओ, एओ, एओ जेड एनजीएम&248006 नियंत्रण आयोग; क 0135& 2763808] QDI I 0-0135-2763508 I 10v1b0, u0 I 0U40101UR2001SGCO25866 osI lbV %www.ujvnl.com</p>
<p>I 0xxxxfnukcl 03-07-2021</p> <p>b&fufonk "kq" i =</p> <p>dlk; ky; vf/k'kl h vfHk; Urk %o0@; k0%4, I , pi h% ; utsh, u fy0] __f'kd'sk }kjvkkei=r fufonk I 4; k 03@vf/k0vfHk0 %o0@; k0%4, I , pi h% __f'kd'sk@2021&22 ea vupkfur ykx # 42-50 yk[k %t h0, I 0Vh0 vfrfjDr% i <k tk, A "ksk "kra; Fkorjgk hAvU; tkudkj h , oa fufonki i = b&i k0; kje8V i k%7/k http://uktenders.gov.in I sMkmuykM fd; k tk I drk gA vf/k'kl h vfHk; Urk %o0@; k0%4, I , pi h% ; utsh, u fy0] __f'kd'sk</p>	
<p>^^ fctyh ds nq i ; kxcl cps*</p>	