

I ekplj i= ea idk"ku grq



; t o h, u f y e V M

ef; ky: "mTtkoy" egjkukh clx] tñ0, e0, l 0 jkM] ngjkm&248006
njhkk'k %& 0135&2763808 QDLk & 0135&2763508½
l h0vkbD, u0 l 0 U40101UR2001SGC025866
o: l kbV : www.ujvnl.com

fufonk l puk

clk; kÿ; vf/k' kkl h vñk; Urk %\uuj {k. k½ eujh Hkkyh&AA] fpU; kyhl kM+
%mVkj dk' W½ bPNqf fufonkkrkv/kl s egjcln fufonk; avkefl=r djrk gA
fufonkvkaclk l f{ktr foj. k fuEuor gA

fufonk l f; k & 1½57@ v0v0%\uuj}@eOHkO&AA@21&22

2½58@ v0v0%\uuj}@eOHkO&AA@21&22

clk; Z@iñr@l ok; aclk ule% 1½ /kkl wfo | r xg ij Vjckbu ds bd

, p0 tñ0 & 100 @ th &40 xouj dh l foñ ak ds clk; ZgrA Z

2½/kjkl wfo | r xg ij 90 fd0 ok0 %lykbV ecd½ iEi ds dcy ñlyat dh
vkiñrZgrA

vuoñkur ew; % #0 427200@&] #0 244250@& ek= de"kk%dj
vfrfjDr½

o: l kbV ij fufonk iñr dh miyC/krk dh frfFk %03-11-2021

fufonk tek djus dh vñre frfFk & 25-11-2021 i kkk %11%0 ctsrd

vU; tkudkjh grq clk; k gekjh o: l kbV nñkA fufonk iñr fuxe dh

o: l kbV "www.ujvnl.com" l s MkmuyM fd; s tk l drsgA

vf/k' kkl h vñk; Urk %\uuj {k. k½

" f c t y h d s n q l k ; k l s c p a "

Submitted By

Recommended by

Approval By

Executive Engineer (Maint.)
MB-II, Chinyalisaur

Dy. General Manager
HGC Chinyalisaur

General Manager (B V)
Chinyalisaur, Uttarkashi