

I ekplj i= ea idk"ku grq



; t o h, u f y e V M

ef; ky: "mTtkoy" egjkjh clx] t h 0, e 0, l 0 j k M] ngjkm&248006  
njhkk'k %& 0135&2763808 QDLK & 0135&2763508½  
l h 0 v k b D, u 0 l 0 U 40101UR2001SGC025866  
o s l k b V : www.ujvnl.com

**fufonk l puk**

clk; k y; v f / k' k l h v f h k; U r k % u j { k. k } e u j h h k y h & A A] f p l; k y h l k M +  
% m v k j d k' k h ½ b P N q l f u f o n k n r k v / k l s e g j c l n f u f o n k; a v k e f l = r d j r k g a  
f u f o n k v / k a d k l f { k l r f o o j . k f u e u o r g a

**fufonk l f; k & 1½57@ v0v0%u@%@e0Hk0&AA@21&22**

**2½58@ v0v0%u@%@e0Hk0&AA@21&22**

**clk; Z @ i f r @ l o k; a d k u l e % 1½ / k j k l w f o | r x g i j V j c k b u d s b D**

, p 0 t h 0 & 100 @ t h & 40 x o u j d h l f o l a c d s d k; Z g r a Z

**2½ / k j k l w f o | r x g i j 90 f d 0 o k 0 % j y k b v e d l ½ i E i d s d e y f l y a t d h**  
v k i f r Z g r a

**v u e f u r e w; % # 0 427200 @ & | # 0 244250 @ & e k = d e " k % d j**  
v f r f j D r ½

o s l k b V i j f u f o n k i i r z d h m i y C / k r k d h f r f f k % 03-11-2021

f u f o n k t e k d j u s d h v f l r e f r f f k & 25-11-2021 i k k % 11 00 c t s r d

v l; t k u d k j h g r q d k; k g e k j h o s l k b V n s k a f u f o n k i i r z f u x e d h  
o s l k b V "www.ujvnl.com" l s M k m u y M f d; s t k l d r s g a

v f / k' k l h v f h k; U r k % u j { k. k }

" f e t y h d s n q l k; k l s c p a "

Submitted By

Recommended by

Approval By

Executive Engineer (Maint.)  
MB-II, Chinyalisaur

Dy. General Manager  
HGC Chinyalisaur

General Manager (B V)  
Chinyalisaur, Uttarkashi