

I ekplj i = ea idk"ku grq



;tsh,u fyfeVM  
eđ: ky: "mTtkoy" egjkwh clx] tñ0,e0,l 0 jkM] ngjkm&248006  
njHk'k %& 0135&2763808 QDLk & 0135&2763508½  
I h0vkbD,u0 l 0 U40101UR2001SGC025866  
o: l kbV : www.ujvnl.com

**fufonk I puk**

dlk; kđy; vř/k'kk l h vřfk; Urk %vuj {k.k} eujh Hkkyh&AA] fpU; kyhl kM+  
%mYkj dk'k½ bPNqđ fufonkkrk/vk l s egj dln fufonk; a vkiefu=r djrk gđ  
fufonk/vk dkl I křr foj.k fuEuor gđ  
**fufonk I k; k & %½ 60@ v0v0%vuj%eOHk0&AA@21&22-  
%½ 61@ v0v0%vuj%eOHk0&AA@21&22-**  
**dlk; Z@ifr@l ok; adk ule% %½xkbM ou , oal křV grqomlu l ikv/ ds**  
**Qsjhds'ku dk dk; A %½0ghdy ok'k LVS'ku dsmiyC/k djkuđ yxkus**  
**, oa "kM cukus dk dk; ZA**  
**vupřur eM; % #0 347232@& , oa #0 227974@& ek= de" k%đj**  
**vřřjDr½**  
o: l kbV ij fufonk i i rz dh miyC/krk dh řřfk %17-11-2021  
fufonk tek djus dh vřre řřfk & 09-12-2021 i křk %11%0 ctsrd  
vU; tkudkj h grq dkk; k gekjh o: l kbV nřk fufonk i i rz fuxe dh  
o: l kbV "www.ujvnl.com" l s MkmuykM fcd; s tk l drs gđ  
vř/k'kk l h vřfk; Urk %vuj {k.k}½

"fc t y h dsnq lk; k l scpa"

Submitted By

Recommended by

Approval By

Executive Engineer (Maint.)  
MB-II, Chinyalisaur

Dy. General Manager  
HGC Chinyalisaur

General Manager (B V)  
Chinyalisaur, Uttarkashi