

I ekplj i = ea idk"ku grq



;tsh,u fyfeVM
eđ: ky: "mTtkoy" egjkwh clx] tñ0, e0, l 0 jkM] ngjkm&248006
njHk'k %& 0135&2763808 QDLk & 0135&2763508½
I h0vkbD, u0 l 0 U40101UR2001SGC025866
o: l kbV : www.ujvnl.com

fufonk I puk

dlk; kđy; vř/k' kkl h vřlk; Urk %vuj {k. kđ eujh Hkkyh&AA} fpU; kyhl kM+
%mYkj dK' kđ½ bPNqđ fufonkkrk/vk l s egj dln fufonk; a vkiefu=r djrk gđ
fufonk/vk dK l ř{kř foj. k fuEuor gđ
**fufonk I ř; k & %½ 60@ v0v0%vuoř%e0Hk0&AA@21&22-
%½ 61@ v0v0%vuoř%e0Hk0&AA@21&22-**
dlk; Z@iřř@l ok; adk ule% %½xkbM ou , oal křV grqomlu l ikv/ ds
Qs jhd'sku dk dk; A %½0ghdy ok'k LVSku dsmiyC/k djkuř yxkus
, oa "kM cukus dk dk; ZA
vuořkur eM; % #0 347232@& , oa #0 227974@& ek= de" k%đj
vřřřjDr½
o: l kbV ij fufonk i i rz dh miyC/křk dh řřřk %17-11-2021
fufonk tek djus dh vřřre řřřk & 09-12-2021 i křk %11%0 ctsrd
vU; tkudkj h grq dkk; k gekjh o: l kbV nř kđ fufonk i i rz fuxe dh
o: l kbV "www.ujvnl.com" l s MkmuykM řd; s tk l drs gđ
vř/k' kkl h vřlk; Urk %vuj {k. kđ

" ict yh dsnq lk; k l scpa"

Submitted By

Recommended by

Approval By

Executive Engineer (Maint.)
MB-II, Chinyalisaur

Dy. General Manager
HGC Chinyalisaur

General Manager (B V)
Chinyalisaur, Uttarkashi