



## यूजेवीएनलिमिटेड

मुख्यालय उज्जवल महारानी बाग, जीएमएस रोड, देहरादून. 248006,  
फोन: 0135-2763508, 2763808, फैक्स- 0135-2763507  
CIN No. - U40101UR2001SGC025866

### निविदा सूचना

कार्यालय अधिशासी अभियन्ता(अनु0), चीला, जल विद्युत गृह, चीला वाया हरिद्वार, पौड़ी गढ़वाल, उत्तराखण्ड द्वारा निम्नलिखित आपूर्ति/कार्य हेतु अनुमती ठेकेदारों से मोहर बन्द निविदायें आमंत्रित की जाती हैं:-

- 1-टी0.04/अ0अ0अनु0/2022-23 : चीला विद्युत गृह के वाटर फिल्ट्रेशन प्लान्ट की मरमत एवं अवरहलिंग का कार्य।
- 2-टी0.05/अ0अ0अनु0/2022-23 : चीला विद्युत गृह के मशीन स0 1,2 के ओपी0यू मे हाई प्रेशर एयर वाल्व की आपूर्ति एवं लगाने का कार्य।
- 3-कार्य/ आपूर्ति की अनुमानित लागत- रू0 2,86,000.00 (कर अतिरिक्त) रू0 5,13,754.00 (कर अतिरिक्त)
- 4-निविदा की उपलब्धता की तिथि - 25-04-2022 (17:00 बजे)
- 5-निविदा जमा की तिथि - 16-05-2022 को 16:00 बजे तक

निविदा से सम्बन्धित विस्तृत जानकारी वेब साईट [www.ujvnl.com](http://www.ujvnl.com) पर देखी जा सकती है।

अधिशासी अभियन्ता(अनु0), चीला, जल विद्युत गृह

**बिजली का दुरुपयोग न करें।**



## UJVNL LIMITED

H.Q:- "UJJWAL", Maharani Bagh, G.M.S. ROAD, Dehradun-248006.  
Phone :- 0135-2763508, 2763808 & Fax : 0135-2763507  
CIN No. - U40101UR2001SGC025866

### Tender Notice

Office of the Executive Engineer, Maintenance Chilla (Pauri- Garhwal), invites sealed tenders from experienced firms for following works/supply for Chilla Power House:-

- 1- T-04/EEM/2022-23:- Repairing and overhauling work of water filtration plant of Chilla Power House.
- 2- T-05/EEM/2022-23:- Supply and fixing of High Pressure air valve for OPU units of Unit no.1 &2 at chilla power house
- 3- Estimated Cost - Rs 2,86,000.00 (Taxes Extra), Rs 5,13,754.00 (Taxes Extra)
- 4 - Date of availability of Tender document on website - 25-04-2022 (17:00 Hrs)
- 5 - Date of Receipt of the tender - 16-05-2022 up to 16:00 Hrs

For all details, bidders are advised to visit our website [www.ujvnl.com](http://www.ujvnl.com)

Executive Engineer (M), Chilla Power House

**"AVOID WASTEFUL USE OF ELECTRICITY"**

Forwarded By

Recommended By

EE (M), Chilla

DGM, HGC, Chilla

NIT Approved By

GM (GV) Mayapur, Haridwar