


# NOTICE INVITING TENDER



**यूजेवीएन लि०**  
मुख्य कार्यालय : "उज्जवल" महारानी बाग, जौ०एम०एस० रोड, देहरादून  
248006 दूरभाष सं० : 0135-2763508, 2763808, फैक्स नं० : 0135-2763507

---

**निविदा सूचना**

कार्यालय अधि० अभि० (ई एंड एम), जोशियारा बैराज, जोशियारा उत्तरकाशी द्वारा अनुभवी फर्मों से निम्न कार्य हेतु मुहरबन्द निविदायें आमन्त्रित की जाती हैं।

**निविदा सं०: 01/अधि०अभि०(ई एंड एम)/म०भा०-II/ बैराज /2023-24**

**कार्य का नाम :** जोशियारा बैराज पर ट्रैश रैक की डाइविंग टीम द्वारा वार्षिक सफाई के कार्य हेतु।

**कार्य की अनुमानित लागत :** ₹0 18,99,282/मात्र (जीएसटी अतिरिक्त)


**वेब साईट पर निविदा की उपलब्धता की तिथि :** 11.04.2023

**निविदा जमा करने की अन्तिम तिथि :** 04.05.2023 को 15:30 बजे तक

उक्त कार्य के निविदा प्रपत्र निगम की वेबसाइट [www.ujvnl.com](http://www.ujvnl.com) से सीधे डाउनलोड किये जा सकते हैं और निविदा प्रपत्र का मूल्य निविदा जमा करते समय अदा किया जायेगा। पूर्व योग्यता एवं विस्तृत विवरण हेतु कृपया निगम की वेबसाईट देखें।

अधिशाली अभियन्ता ( ई एंड एम )

**"राष्ट्र हित में बिजली बचायें"**



**U J V N LTD.**  
H.O. "UJJAWAL" Maharani Bagh, G.M.S. Road Dehradun 248006  
Telephone: 0135 - 2763808, Fax 0135-2763508  
CIN No U40101UR2001SGC025866  
Website : www.ujvnl.com

---

**TENDER NOTICE**

The Office of the Executive Engineer (E&M), Joshiyara Barrage Joshiyara (Uttarkashi), invites sealed tenders from interested parties. Brief summary of tender is given below ::

**Tender No:** NIT- 01/EE(E&M)/MB-II/Barrage/2023-24

**Name of work / Supply/Services:** "Annual cleaning of trash rack through Diving Team at Joshiyara Barrage, Uttarkashi for the period of one year"

**Estimated cost:** Rs. 18,99,282/- Only (Taxes extra)

Date of availability of bid document on website: - 11.04.2023  
Last date for submission of tender: - 04.05.2023 up to 15:30 Hrs.  
For fuller & further details, kindly visit our website. The tender documents can be downloaded from the Nigam's website" [www.ujvnl.com](http://www.ujvnl.com)"

Executive Engineer (E&M)

**"Avoid wasteful use of electricity"**

<b>Approved By</b>  <b>( Ajay Kumar Singh )</b> G. M. (B.V.)Chinyalisaur	<b>Recommended By</b>  <b>(Rajesh Chouksey)</b> DGM, HGC, MB-IIChinyalisaur	<b>Submitted By</b>  <b>( Arun Kumar Singh )</b> EE (E&M)Joshiyara Barrage
---	--	---

